

**To:** Juan\_Somoano@oxy.com[Juan\_Somoano@oxy.com]  
**Cc:** Jay.Nickerson@dep.nj.gov[Jay.Nickerson@dep.nj.gov];  
Steve.McGee@tetrattech.com[Steve.McGee@tetrattech.com];  
Richard.Feeney@tetrattech.com[Richard.Feeney@tetrattech.com]  
**From:** Yeh, Alice  
**Sent:** Fri 1/13/2017 4:31:37 PM  
**Subject:** RE: Draft Remedial Design Work Plan (RDWP) with Emergency Response Plan (ERP) for  
submittal to EPA

Received, thanks.

**From:** Juan\_Somoano@oxy.com [mailto:Juan\_Somoano@oxy.com]  
**Sent:** Friday, January 13, 2017 8:48 AM  
**To:** Yeh, Alice <Yeh.Alice@epa.gov>  
**Cc:** Jay.Nickerson@dep.nj.gov; Steve.McGee@tetrattech.com; Richard.Feeney@tetrattech.com  
**Subject:** Draft Remedial Design Work Plan (RDWP) with Emergency Response Plan (ERP) for  
submittal to EPA

Alice,

Please see the attached draft Remedial Design Work Plan with Emergency Response Plan,  
submitted in advance of the January 17, 2017 Settlement Agreement requirement. Please don't  
hesitate to contact me with any questions. Thanks.

Juan